

Table 6.10a LSD use in the Netherlands in seven samples: Amsterdam, Rotterdam, and five categories of address density municipalities, 1997 and 2001 (weighted percentages)

| <i>LSD</i> | | | | | | | | | | | | | | | | | | | | |
|-------------------------|------------------------|---------------|-------------|---------------|--------------------------------|-------------|------------------|-------------|--------------|-------------|---------------------------|-------------|-------|--|-------|--|--------|--|-------|--|
| <i>Age group</i> | | | | | | | | | | | | | | | | | | | | |
| <i>Lifetime use</i> | <i>The Netherlands</i> | | | | <i>Highest address density</i> | | | | | | | | | | | | | | | |
| | <i>1997</i> | | <i>2001</i> | | <i>Amsterdam</i> | | <i>Rotterdam</i> | | <i>Other</i> | | <i>Total highest a.d.</i> | | | | | | | | | |
| | <i>%</i> | <i>Unw. n</i> | <i>%</i> | <i>Unw. n</i> | <i>1997</i> | <i>2001</i> | <i>1997</i> | <i>2001</i> | <i>1997</i> | <i>2001</i> | <i>1997</i> | <i>2001</i> | | | | | | | | |
| 12-15 yrs | 0.1 | 2 | 0.0 | 1 | 0.0 | 0.3 | 0.3 | 0.0 | 0.0 | 0.0 | 0.1 | 0.1 | | | | | | | | |
| 16-19 yrs | 1.2 | 35 | 0.7 | 19 | 1.5 | 0.4 | 1.6 | 2.0 | 1.3 | 2.2 | 1.4 | 1.8 | | | | | | | | |
| 20-24 yrs | 1.7 | 30 | 2.5 | 35 | 4.8 | 5.5 | 1.6 | 1.6 | 2.9 | 3.0 | 3.1 | 3.3 | | | | | | | | |
| 25-29 yrs | 1.8 | 39 | 2.0 | 39 | 4.2 | 3.5 | 0.5 | 4.4 | 2.9 | 4.3 | 2.8 | 4.1 | | | | | | | | |
| 30-34 yrs | 1.3 | 38 | 1.2 | 40 | 5.2 | 5.7 | 2.3 | 1.8 | 2.7 | 1.5 | 3.4 | 2.8 | | | | | | | | |
| 35-39 yrs | 1.3 | 39 | 0.7 | 33 | 6.2 | 5.9 | 0.5 | 3.2 | 2.2 | 3.0 | 3.1 | 3.9 | | | | | | | | |
| 40-49 yrs | 2.8 | 116 | 2.1 | 78 | 10.3 | 6.2 | 3.0 | 5.4 | 3.2 | 1.9 | 5.2 | 3.8 | | | | | | | | |
| 50-59 yrs | 0.7 | 21 | 0.6 | 32 | 2.9 | 4.9 | 0.6 | 0.3 | 0.6 | 2.5 | 1.2 | 2.6 | | | | | | | | |
| 60-69 yrs | 0.1 | 5 | 0.1 | 7 | 1.5 | 2.2 | 0.0 | 0.0 | 0.4 | 0.4 | 0.6 | 0.7 | | | | | | | | |
| 70 yrs a.o. | 0.0 | 0 | 0.0 | 1 | 0.0 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | | | | | | | | |
| <i>Last month use</i> | | | | | | | | | | | | | | | | | | | | |
| 12-15 yrs | . | . | 0.0 | 0 | . | 0.0 | . | 0.0 | . | 0.0 | . | 0.0 | | | | | | | | |
| 16-19 yrs | . | . | 0.0 | 2 | . | 0.0 | . | 0.3 | . | 0.4 | . | 0.3 | | | | | | | | |
| 20-24 yrs | . | . | 0.0 | 1 | . | 0.0 | . | 0.4 | . | 0.0 | . | 0.1 | | | | | | | | |
| 25-29 yrs | . | . | 0.0 | 0 | . | 0.0 | . | 0.0 | . | 0.0 | . | 0.0 | | | | | | | | |
| 30-34 yrs | . | . | 0.0 | 0 | . | 0.0 | . | 0.0 | . | 0.0 | . | 0.0 | | | | | | | | |
| 35-39 yrs | . | . | 0.0 | 1 | . | 0.0 | . | 0.4 | . | 0.0 | . | 0.1 | | | | | | | | |
| 40-49 yrs | . | . | 0.0 | 1 | . | 0.0 | . | 0.4 | . | 0.0 | . | 0.1 | | | | | | | | |
| 50-59 yrs | . | . | 0.0 | 1 | . | 0.2 | . | 0.0 | . | 0.0 | . | 0.1 | | | | | | | | |
| 60-69 yrs | . | . | 0.0 | 0 | . | 0.0 | . | 0.0 | . | 0.0 | . | 0.0 | | | | | | | | |
| 70 yrs a.o. | . | . | 0.0 | 0 | . | 0.0 | . | 0.0 | . | 0.0 | . | 0.0 | | | | | | | | |
| <i>Total population</i> | | | | | | | | | | | | | | | | | | | | |
| Lifetime use | 1.2 | 325 | 1.0 | 285 | 4.5 | 4.1 | 1.1 | 2.1 | 1.8 | 2.0 | 2.4 | 2.5 | | | | | | | | |
| Last month use | . | - | 0.0 | 6 | . | 0.0 | . | 0.2 | . | 0.0 | . | 0.1 | | | | | | | | |
| Last month continuation | . | . | 0.9 | . | . | 0.6 | . | - | . | - | . | 2.0 | | | | | | | | |
| Experienced use | . | . | 15.6 | . | . | 12.9 | . | - | . | - | . | 12.8 | | | | | | | | |
| Mean age of first use | . | . | 20.6 | . | . | 22.4 | . | - | . | - | . | 21.2 | | | | | | | | |
| Total respondents | 21,959 | | 17,655 | | 3,710 | | 3,934 | | 2,320 | | 2,547 | | 6,766 | | 2,330 | | 12,796 | | 8,811 | |

Source: Manja D. Abraham, Hendrien L. Kaal, & Peter D.A. Cohen (2002), *Licit and Illicit Drug Use in the Netherlands, 2001*. Amsterdam: CEDRO / Mets & Schilt. p.197.

Table 6.10b LSD use in the Netherlands in seven samples: Amsterdam, Rotterdam, and five categories of address density municipalities, 1997 and 2001 (weighted percentages) (continued)

| <i>LSD</i> <i>Age group</i> | <i>Highest a.d.</i> | | <i>High a.d.</i> | | <i>Moderate a.d.</i> | | <i>Low a.d.</i> | | <i>Lowest a.d.</i> | |
|--------------------------------|-----------------------------|-------|------------------|-------|----------------------|-------|-----------------|-------|--------------------|-------|
| | <i>Lifetime use</i> 1997 | 2001 | 1997 | 2001 | 1997 | 2001 | 1997 | 2001 | 1997 | 2001 |
| 12-15 yrs | 0.1 | 0.1 | 0.0 | 0.0 | 0.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 16-19 yrs | 1.4 | 1.8 | 1.8 | 0.2 | 0.8 | 0.5 | 1.1 | 0.4 | 1.1 | 1.3 |
| 20-24 yrs | 3.1 | 3.3 | 0.7 | 2.4 | 2.5 | 2.5 | 0.9 | 2.2 | 1.5 | 1.7 |
| 25-29 yrs | 2.8 | 4.1 | 0.7 | 2.0 | 2.0 | 1.5 | 3.1 | 0.9 | 0.6 | 0.0 |
| 30-34 yrs | 3.4 | 2.8 | 0.5 | 0.9 | 1.3 | 0.8 | 0.4 | 0.5 | 1.3 | 0.5 |
| 35-39 yrs | 3.1 | 3.9 | 1.5 | 0.0 | 0.5 | 0.0 | 1.0 | 0.0 | 0.5 | 0.0 |
| 40-49 yrs | 5.2 | 3.8 | 4.1 | 1.6 | 1.7 | 2.2 | 1.4 | 1.7 | 2.0 | 1.5 |
| 50-59 yrs | 1.2 | 2.6 | 1.3 | 0.4 | 0.0 | 0.3 | 0.7 | 0.0 | 0.4 | 0.0 |
| 60-69 yrs | 0.6 | 0.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 70 yrs a.o. | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| <i>Last month use</i> | | | | | | | | | | |
| 12-15 yrs | . | 0.0 | . | 0.0 | . | 0.0 | . | 0.0 | . | 0.0 |
| 16-19 yrs | . | 0.3 | . | 0.0 | . | 0.0 | . | 0.0 | . | 0.0 |
| 20-24 yrs | . | 0.1 | . | 0.0 | . | 0.0 | . | 0.0 | . | 0.0 |
| 25-29 yrs | . | 0.0 | . | 0.0 | . | 0.0 | . | 0.0 | . | 0.0 |
| 30-34 yrs | . | 0.0 | . | 0.0 | . | 0.0 | . | 0.0 | . | 0.0 |
| 35-39 yrs | . | 0.1 | . | 0.0 | . | 0.0 | . | 0.0 | . | 0.0 |
| 40-49 yrs | . | 0.1 | . | 0.0 | . | 0.0 | . | 0.0 | . | 0.0 |
| 50-59 yrs | . | 0.1 | . | 0.0 | . | 0.0 | . | 0.0 | . | 0.0 |
| 60-69 yrs | . | 0.0 | . | 0.0 | . | 0.0 | . | 0.0 | . | 0.0 |
| 70 yrs a.o. | . | 0.0 | . | 0.0 | . | 0.0 | . | 0.0 | . | 0.0 |
| <i>Total population</i> | | | | | | | | | | |
| Lifetime use | 2.4 | 2.5 | 1.3 | 0.8 | 0.9 | 0.8 | 0.9 | 0.6 | 0.8 | 0.5 |
| Last month use | . | 0.1 | . | 0.0 | . | 0.0 | . | 0.0 | . | 0.0 |
| Last month continuation | . | 2.0 | . | - | . | - | . | - | . | - |
| Experienced use | . | 12.8 | . | - | . | - | . | - | . | - |
| Mean age of first use | . | 21.2 | . | - | . | - | . | - | . | - |
| Total respondents | 12,796 | 8,811 | 2,295 | 2,640 | 2,276 | 2,123 | 2,288 | 2,149 | 2,304 | 1,932 |

Source: Manja D. Abraham, Hendrien L. Kaal, & Peter D.A. Cohen (2002), *Licit and Illicit Drug Use in the Netherlands, 2001*. Amsterdam: CEDRO / Mets & Schilt, p. 198.

Table 6.10c LSD use in the Netherlands in seven samples: Amsterdam, Rotterdam, and five categories of address density municipalities, 2001
(index figures: 1997 = 100)

| <i>LSD</i> | | | | | | | | | |
|-------------------------|------------------------|--------------------------------|------------------|--------------|--------------|------------------|----------------------|-----------------|--------------------|
| <i>Age group</i> | | | | | | | | | |
| | <i>The Netherlands</i> | <i>Highest address density</i> | | | | <i>High a.d.</i> | <i>Moderate a.d.</i> | <i>Low a.d.</i> | <i>Lowest a.d.</i> |
| <i>Lifetime use</i> | | <i>Amsterdam</i> | <i>Rotterdam</i> | <i>Other</i> | <i>Total</i> | | | | |
| 12-15 yrs | 15 | * | * | * | * | * | * | * | * |
| 16-19 yrs | 59 | 25 | 129 | 175 | 125 | 13 | 67 | 34 | 118 |
| 20-24 yrs | 148 | 115 | 101 | 103 | 105 | * | 98 | * | 110 |
| 25-29 yrs | 109 | 85 | * | 149 | 148 | * | 77 | 28 | * |
| 30-34 yrs | 87 | 109 | 78 | 56 | 82 | * | 58 | * | 40 |
| 35-39 yrs | 55 | 94 | * | 138 | 125 | 0 | * | 0 | * |
| 40-49 yrs | 75 | 60 | 182 | 58 | 72 | 40 | 129 | 120 | 76 |
| 50-59 yrs | 79 | * | 49 | 439 | 220 | 29 | * | 0 | * |
| 60-69 yrs | 132 | 144 | * | * | 132 | * | * | * | * |
| 70 yrs a.o. | * | * | * | * | * | * | * | * | * |
| <i>Total population</i> | | | | | | | | | |
| Lifetime use | 83 | 92 | 189 | 112 | 107 | 62 | 89 | 64 | 61 |
| Last month use | - | - | - | - | - | - | - | - | - |
| Last month continuation | - | - | - | - | - | - | - | - | - |
| Experienced use | - | - | - | - | - | - | - | - | - |
| Mean age of first use | - | - | - | - | - | - | - | - | - |
| Total respondents | 17,655 | 3,934 | 2,547 | 2,330 | 8,811 | 2,640 | 2,123 | 2,149 | 1,932 |

Source: Manja D. Abraham, Hendrien L. Kaal, & Peter D.A. Cohen (2002), *Licit and Illicit Drug Use in the Netherlands, 2001*. Amsterdam: CEDRO / Mets & Schilt. p. 199.