

Table 6.13a Morphine use in the Netherlands in seven samples: Amsterdam, Rotterdam, and five categories of address density municipalities, 1997 and 2001 (weighted percentages)

Morphine Age group Lifetime use	The Netherlands						Highest address density					
	1997		2001		Amsterdam		Rotterdam		Other		Total highest a.d.	
	%	Unw. n	%	Unw. n	1997	2001	1997	2001	1997	2001	1997	2001
12-15 yrs	0.8	21	0.6	16	1.3	1.3	0.8	0.0	1.1	1.1	1.1	0.9
16-19 yrs	1.6	46	1.5	23	3.1	0.2	1.1	0.7	1.6	1.6	1.9	1.1
20-24 yrs	2.0	36	2.8	31	3.9	2.9	1.6	0.4	2.3	2.7	2.5	2.3
25-29 yrs	4.0	77	3.1	39	3.2	3.4	3.2	2.9	4.8	0.4	4.0	1.7
30-34 yrs	3.3	68	3.3	55	2.8	3.0	4.5	5.4	4.6	1.2	4.1	2.5
35-39 yrs	4.8	90	4.5	78	3.6	6.3	7.1	2.6	4.4	5.1	4.8	5.0
40-49 yrs	5.4	183	4.4	131	6.6	6.2	6.4	4.3	4.4	6.3	5.4	5.9
50-59 yrs	5.0	138	3.4	88	6.6	5.4	6.1	4.5	7.8	4.7	7.1	4.8
60-69 yrs	5.6	113	2.7	48	6.5	5.2	6.7	4.3	8.1	2.1	7.4	3.4
70 yrs a.o.	4.4	95	1.9	33	3.7	4.5	4.8	1.2	7.0	2.3	5.7	2.5
<i>Last month use</i>												
12-15 yrs	0.1	2	0.0	0	0.3	0.0	0.0	0.0	0.0	0.0	0.1	0.0
16-19 yrs	0.1	2	0.1	2	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.2
20-24 yrs	0.0	1	0.2	1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0
25-29 yrs	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
30-34 yrs	0.0	1	0.3	3	0.2	0.0	0.0	0.5	0.0	0.0	0.1	0.1
35-39 yrs	0.1	1	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
40-49 yrs	0.2	6	0.2	6	0.2	0.3	0.5	0.0	0.1	0.0	0.2	0.1
50-59 yrs	0.0	3	0.1	2	0.5	0.0	0.4	0.0	0.0	0.3	0.2	0.2
60-69 yrs	0.0	1	0.0	2	0.0	0.3	0.0	0.3	0.2	0.0	0.1	0.1
70 yrs a.o.	0.0	2	0.3	3	0.3	0.3	0.0	0.0	0.0	0.0	0.1	0.1
<i>Total population</i>												
Lifetime use	4.1	867	3.1	542	4.4	4.4	4.7	3.0	5.0	3.1	4.8	3.4
Last month use	0.1	19	0.1	19	0.1	0.1	0.1	0.1	0.0	0.1	0.1	0.1
Last month continuation	1.4		4.4		3.4	2.5	2.4	2.9	1.0	1.9	1.8	2.3
Experienced use	7.3		9.2		12.8	8.2	12.2	7.8	4.8	6.2	8.2	7.2
Mean age of first use	34.0		32.6		33.3	34.3	35.8	31.7	35.6	32.2	35.1	32.9
Total respondents	21,959		17,655		3,710	3,934	2,320	2,547	6,766	2,330	12,796	8,811

Source: Manja D. Abraham, Hendrien L. Kaal, & Peter D.A. Cohen (2002), Licit and Illicit Drug Use in the Netherlands, 2001. Amsterdam: CEDRO / Mets & Schilt. p. 206.

Table 6.13b Morphine use in the Netherlands in seven samples: Amsterdam, Rotterdam, and five categories of address density municipalities, 1997 and 2001 (weighted percentages) (continued)

Morphine	Highest a.d.		High a.d.		Moderate a.d.		Low a.d.		Lowest a.d.	
Age group	1997	2001	1997	2001	1997	2001	1997	2001	1997	2001
Lifetime use										
12-15 yrs	1.1	0.9	0.3	0.6	0.3	0.0	1.1	0.6	1.5	1.4
16-19 yrs	1.9	1.1	1.2	1.0	1.3	2.9	1.9	0.7	1.7	1.8
20-24 yrs	2.5	2.3	2.7	1.2	2.5	2.5	1.0	4.6	0.9	5.0
25-29 yrs	4.0	1.7	3.2	1.2	2.9	3.4	6.1	6.1	4.1	5.2
30-34 yrs	4.1	2.5	2.0	4.3	5.1	2.8	2.5	3.7	3.2	2.7
35-39 yrs	4.8	5.0	1.8	4.1	7.2	6.0	5.7	3.1	5.0	4.8
40-49 yrs	5.4	5.9	3.4	3.1	7.5	4.2	5.5	3.7	5.2	6.0
50-59 yrs	7.1	4.8	4.7	4.3	6.9	3.1	3.7	2.6	3.1	2.3
60-69 yrs	7.4	3.4	5.2	1.6	5.0	3.3	4.6	2.9	6.4	2.3
70 yrs a.o.	5.7	2.5	4.2	2.5	3.5	2.7	3.5	0.5	5.6	0.7
<i>Last month use</i>										
12-15 yrs	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0
16-19 yrs	0.0	0.2	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.6
20-24 yrs	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0
25-29 yrs	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
30-34 yrs	0.1	0.1	0.0	0.5	0.0	0.0	0.0	0.7	0.0	0.0
35-39 yrs	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0
40-49 yrs	0.2	0.1	0.0	0.0	0.4	0.6	0.3	0.5	0.0	0.0
50-59 yrs	0.2	0.2	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0
60-69 yrs	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
70 yrs a.o.	0.1	0.1	0.0	0.0	0.0	0.8	0.0	0.5	0.0	0.0
<i>Total population</i>										
Lifetime use	4.8	3.4	3.2	2.7	4.9	3.3	3.9	2.9	4.0	3.4
Last month use	0.1	0.1	0.0	0.1	0.1	0.2	0.1	0.2	0.0	0.0
Last month continuation	1.8	2.3	0.0	3.1	2.0	7.2	2.3	7.1	0.4	0.9
Experienced use	8.2	7.2	10.7	12.8	7.4	13.3	1.2	3.9	4.1	7.2
Mean age of first use	35.1	32.9	35.7	32.0	33.1	33.3	31.5	33.0	35.2	31.2
Total respondents	12,796	8,811	2,295	2,640	2,276	2,123	2,288	2,149	2,304	1,932

Source: Manja D. Abraham, Hendrien L. Kaal, & Peter D.A. Cohen (2002), *Licit and Illicit Drug Use in the Netherlands, 2001*.  
 Amsterdam: CEDRO / Mets & Schilt, p. 207.

Table 6.13c Morphine use in the Netherlands in seven samples: Amsterdam, Rotterdam, and five categories of address density municipalities, 2001  
 (index figures: 1997 = 100)

Morphine Age group	The Netherlands		Highest address density			High a.d.	Moderate a.d.	Low a.d.	Lowest a.d.
Lifetime use	Amsterdam	Rotterdam	Other	Total					
12-15 yrs	81	104	0	102	85	*	*	58	98
16-19 yrs	93	8	60	97	58	80	221	36	104
20-24 yrs	136	76	27	119	92	44	98	*	*
25-29 yrs	78	106	91	8	43	39	117	100	128
30-34 yrs	99	105	120	26	63	215	54	147	87
35-39 yrs	95	173	37	115	105	224	83	54	97
40-49 yrs	81	93	67	144	108	90	56	68	115
50-59 yrs	68	82	73	61	68	91	45	71	74
60-69 yrs	47	81	65	27	46	32	66	63	36
70 yrs a.o.	43	122	25	33	45	59	77	15	13
<i>Total population</i>									
Lifetime use	75	99	63	62	71	85	68	74	83
Last month use	234	73	78	122	88	*	244	227	209
Last month continuation	310	73	123	197	123	*	359	306	250
Experienced use	127	64	63	131	87	119	179	322	176
Mean age of first use	96	103	89	90	94	90	100	105	88
Total respondents	17,655	3,934	2,547	2,330	8,811	2,640	2,123	2,149	1,932

Source: Manja D. Abraham, Hendrien L. Kaal, & Peter D.A. Cohen (2002), *Licit and Illicit Drug Use in the Netherlands, 2001*.  
 Amsterdam: CEDRO / Mets & Schilt. p. 208.