

Table 6.14a Codeine use in the Netherlands in seven samples: Amsterdam, Rotterdam, and five categories of address density municipalities, 1997 and 2001 (weighted percentages)

<i>Codeine Age group</i>	<i>The Netherlands</i>				<i>Highest address density</i>							
	<i>1997</i>		<i>2001</i>		<i>Amsterdam</i>		<i>Rotterdam</i>		<i>Other</i>		<i>Total highest a.d.</i>	
	<i>%</i>	<i>Unw. n</i>	<i>%</i>	<i>Unw. n</i>	<i>1997</i>	<i>2001</i>	<i>1997</i>	<i>2001</i>	<i>1997</i>	<i>2001</i>	<i>1997</i>	<i>2001</i>
<i>Lifetime use</i>												
12-15 yrs	2.0	43	1.1	21	5.1	1.5	0.6	0.6	1.2	0.4	2.0	0.7
16-19 yrs	2.7	96	2.4	53	11.5	2.5	2.5	2.7	3.5	3.4	5.2	3.0
20-24 yrs	4.6	81	4.7	55	9.8	6.1	7.2	2.8	4.3	4.9	6.2	4.7
25-29 yrs	7.8	181	5.9	77	16.7	6.7	11.1	3.6	6.4	4.1	10.2	4.7
30-34 yrs	8.3	196	5.6	114	21.5	9.1	7.3	3.5	6.9	7.0	11.4	7.0
35-39 yrs	10.3	210	6.9	120	17.5	7.4	10.9	7.4	7.8	6.8	11.3	7.1
40-49 yrs	9.2	345	6.2	192	20.2	8.8	7.4	6.7	8.0	6.8	11.2	7.3
50-59 yrs	7.0	195	5.1	123	16.2	7.0	8.9	5.4	7.6	3.9	10.1	5.0
60-69 yrs	9.3	160	4.4	70	16.3	8.7	5.9	2.9	8.5	5.0	9.7	5.4
70 yrs a.o.	5.7	127	4.2	64	11.4	7.1	6.6	3.9	4.6	5.7	6.7	5.6
<i>Last month use</i>												
12-15 yrs	0.1	5	0.2	4	0.7	0.0	0.0	0.0	0.6	0.4	0.5	0.2
16-19 yrs	0.3	16	0.5	12	3.2	0.2	0.3	0.7	0.5	0.7	1.1	0.6
20-24 yrs	0.8	11	0.6	13	1.7	2.2	0.8	1.3	0.1	1.0	0.7	1.3
25-29 yrs	1.2	25	0.9	7	4.1	0.0	0.0	0.4	0.1	0.0	1.2	0.1
30-34 yrs	0.6	34	0.9	14	5.5	0.5	0.6	0.9	1.0	1.0	2.3	0.8
35-39 yrs	1.0	25	0.9	14	2.4	0.6	2.1	1.0	0.8	1.2	1.5	1.0
40-49 yrs	1.2	63	0.9	24	5.6	0.9	0.8	0.8	1.5	0.6	2.5	0.7
50-59 yrs	0.6	22	0.5	12	2.2	0.9	1.7	0.3	0.5	0.0	1.2	0.3
60-69 yrs	1.1	24	0.9	12	4.4	0.7	0.0	0.8	1.3	0.9	1.7	0.8
70 yrs a.o.	1.1	23	0.8	18	2.7	2.8	1.3	1.5	0.6	0.8	1.3	1.4
<i>Total population</i>												
Lifetime use	7.3	1634	5.0	889	16.0	7.2	7.5	4.4	6.4	5.2	9.1	5.6
Last month use	0.9	248	0.7	130	3.6	0.9	0.8	0.8	0.7	0.6	1.5	0.7
Last month continuation	12.0		14.6		22.6	12.6	11.2	18.2	11.7	12.1	16.6	13.3
Experienced use	22.1		28.4		36.3	25.1	24.9	28.8	20.8	27.0	28.5	26.7
Mean age of first use	33.4		31.0		28.9	31.2	32.2	31.8	31.9	29.1	30.6	30.3
Total respondents	21,959		17,655		3,710	3,934	2,320	2,547	6,766	2,330	12,796	8,811

Source: Manja D. Abraham, Hendrien L. Kaal, & Peter D.A. Cohen (2002), *Licit and Illicit Drug Use in the Netherlands, 2001*. Amsterdam: CEDRO / Mets & Schilt, p. 209.

Table 6.14b Codeine use in the Netherlands in seven samples: Amsterdam, Rotterdam, and five categories of address density municipalities, 1997 and 2001 (weighted percentages) (continued)

<i>Codeine Age group Lifetime use</i>	<i>Highest a.d.</i>		<i>High a.d.</i>		<i>Moderate a.d.</i>		<i>Low a.d.</i>		<i>Lowest a.d.</i>	
	1997	2001	1997	2001	1997	2001	1997	2001	1997	2001
12-15 yrs	2.0	0.7	2.1	1.5	2.8	1.4	1.3	1.0	1.5	0.6
16-19 yrs	5.2	3.0	3.1	3.2	2.1	3.0	2.7	1.0	0.6	1.6
20-24 yrs	6.2	4.7	4.2	8.4	4.7	5.9	4.0	0.0	3.5	0.8
25-29 yrs	10.2	4.7	6.7	6.5	10.6	6.9	5.3	7.0	5.1	3.1
30-34 yrs	11.4	7.0	9.7	6.0	8.9	7.4	5.6	2.2	4.7	4.9
35-39 yrs	11.3	7.1	12.0	5.8	11.6	8.1	8.6	7.4	7.3	5.9
40-49 yrs	11.2	7.3	10.3	6.7	10.1	7.2	10.2	4.9	3.7	4.9
50-59 yrs	10.1	5.0	9.4	5.6	7.8	6.8	4.5	3.8	3.4	3.7
60-69 yrs	9.7	5.4	11.2	2.9	9.8	5.9	9.9	6.3	5.1	0.9
70 yrs a.o.	6.7	5.6	5.8	4.1	8.7	5.5	2.9	3.1	4.0	2.3
<i>Last month use</i>										
12-15 yrs	0.5	0.2	0.3	0.6	0.0	0.0	0.0	0.0	0.0	0.3
16-19 yrs	1.1	0.6	0.0	0.7	0.3	0.7	0.2	0.3	0.0	0.3
20-24 yrs	0.7	1.3	0.7	1.2	1.5	0.0	0.0	0.0	0.9	0.0
25-29 yrs	1.2	0.1	1.8	1.7	1.9	0.5	0.0	1.8	0.6	0.0
30-34 yrs	2.3	0.8	0.0	2.0	0.0	0.6	0.5	0.0	0.4	0.5
35-39 yrs	1.5	1.0	0.5	0.6	1.1	1.0	0.9	0.9	1.0	1.0
40-49 yrs	2.5	0.7	1.3	1.0	1.3	0.4	0.5	1.2	0.5	0.9
50-59 yrs	1.2	0.3	0.8	0.3	0.6	1.2	0.0	0.3	0.7	0.4
60-69 yrs	1.7	0.8	1.3	1.7	0.0	1.4	0.8	0.0	2.1	0.0
70 yrs a.o.	1.3	1.4	0.5	0.8	2.9	1.8	1.0	0.0	0.0	0.0
<i>Total population</i>										
Lifetime use	9.1	5.6	8.2	5.3	8.4	6.2	6.2	4.0	4.0	3.2
Last month use	1.5	0.7	0.8	1.0	1.0	0.8	0.4	0.5	0.7	0.4
Last month continuation	16.6	13.3	9.9	19.2	12.3	13.3	6.8	11.9	16.6	12.1
Experienced use	28.5	26.7	19.3	22.1	20.7	30.2	19.4	36.5	23.3	31.4
Mean age of first use	30.6	30.3	33.8	30.6	33.6	30.2	35.9	33.7	33.9	30.1
Total respondents	12,796	8,811	2,295	2,640	2,276	2,123	2,288	2,149	2,304	1,932

Source: Manja D. Abraham, Hendrien L. Kaal, & Peter D.A. Cohen (2002), *Licit and Illicit Drug Use in the Netherlands, 2001*. Amsterdam: CEDRO / Mets & Schilt. p. 210.

Table 6.14c Codeine use in the Netherlands in seven samples: Amsterdam, Rotterdam, and five categories of address density municipalities, 2001  
(index figures: 1997 = 100)

<i>Codeine Age group</i>	<i>The Netherlands</i>				<i>Total</i>	<i>High a.d.</i>	<i>Moderate a.d.</i>	<i>Low a.d.</i>	<i>Lowest a.d.</i>
	<i>Amsterdam</i>	<i>Rotterdam</i>	<i>Highest address density</i>						
<i>Lifetime use</i>			<i>Other</i>						
12-15 yrs	57	30	101	30	35	72	51	75	44
16-19 yrs	90	22	106	95	58	103	138	35	287
20-24 yrs	101	62	38	114	77	200	124	0	24
25-29 yrs	75	40	32	64	46	97	65	132	60
30-34 yrs	67	42	48	101	61	62	83	39	106
35-39 yrs	67	42	68	87	63	48	70	86	80
40-49 yrs	67	43	91	86	66	65	71	47	131
50-59 yrs	73	43	60	51	49	59	87	84	109
60-69 yrs	47	53	48	59	55	26	60	63	18
70 yrs a.o.	74	62	59	125	84	70	63	105	56
<i>Total population</i>									
Lifetime use	69	45	58	82	61	65	74	65	80
Last month use	84	25	95	86	49	125	82	111	61
Last month continuation	121	56	162	103	80	194	108	175	73
Experienced use	129	69	115	130	94	115	146	189	135
Mean age of first use	93	108	99	91	99	91	90	94	89
Total respondents	17,655	3,934	2,547	2,330	8,811	2,640	2,123	2,149	1,932

Source: Manja D. Abraham, Hendrien L. Kaal, & Peter D.A. Cohen (2002), *Licit and Illicit Drug Use in the Netherlands, 2001*. Amsterdam: CEDRO / Mets & Schilt. p. 211.