

Table 6.16a Inhalant use in the Netherlands in seven samples: Amsterdam, Rotterdam, and five categories of address density municipalities, 1997 and 2001 (weighted percentages)

Age group Lifetime use	The Netherlands						Highest address density					
	1997		2001		Amsterdam		Rotterdam		Other		Total highest a.d.	
	%	Unw. n	%	Unw. n	1997	2001	1997	2001	1997	2001	1997	2001
12-15 yrs	0.3	9	1.0	22	0.9	1.2	0.3	1.4	0.5	2.2	0.6	1.7
16-19 yrs	0.9	27	1.7	36	0.9	2.8	1.1	1.8	0.8	3.1	0.9	2.7
20-24 yrs	1.3	21	2.3	31	3.6	3.0	0.8	3.2	0.8	3.3	1.5	3.2
25-29 yrs	0.6	24	1.1	30	3.7	3.8	0.0	3.1	0.6	2.7	1.4	3.1
30-34 yrs	0.6	24	1.1	27	3.0	3.2	0.0	0.5	1.5	1.6	1.6	1.9
35-39 yrs	0.9	21	0.8	26	2.3	5.6	1.9	1.0	0.9	1.0	1.5	2.3
40-49 yrs	0.3	18	0.6	24	1.7	2.6	0.7	0.4	0.6	0.5	0.9	1.1
50-59 yrs	0.3	6	0.6	20	0.5	2.3	1.1	0.8	0.0	0.7	0.4	1.1
60-69 yrs	0.1	2	0.1	1	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0
70 yrs a.o.	0.0	1	0.0	0	0.3	0.0	0.0	0.0	0.0	0.0	0.1	0.0
<i>Last month use</i>												
12-15 yrs	0.0	0	0.1	3	0.0	0.3	0.0	0.0	0.0	0.9	0.0	0.6
16-19 yrs	0.0	0	0.1	4	0.0	0.0	0.0	0.7	0.0	0.4	0.0	0.4
20-24 yrs	0.2	3	0.5	4	0.5	0.0	0.0	0.0	0.2	0.6	0.2	0.3
25-29 yrs	0.0	2	0.3	5	0.2	0.4	0.0	0.5	0.1	0.4	0.1	0.4
30-34 yrs	0.0	2	0.1	5	0.5	1.0	0.0	0.0	0.0	0.5	0.2	0.5
35-39 yrs	0.1	3	0.1	4	0.3	1.2	0.6	0.0	0.3	0.0	0.4	0.4
40-49 yrs	0.0	2	0.0	4	0.2	0.5	0.3	0.4	0.0	0.0	0.1	0.2
50-59 yrs	0.0	0	0.2	4	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.1
60-69 yrs	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
70 yrs a.o.	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
<i>Total population</i>												
Lifetime use	0.5	153	0.8	217	1.9	2.6	0.6	1.1	0.6	1.3	0.9	1.6
Last month use	0.0	12	0.1	33	0.2	0.5	0.1	0.2	0.0	0.2	0.1	0.3
Last month continuation	6.7		15.7		10.8	18.0	-	-	-	-	11.0	16.9
Experienced use	16.0		19.7		18.1	22.2	-	-	-	-	14.5	21.2
Mean age of first use	19.1		18.5		20.1	21.6	-	-	-	-	19.3	19.8
Total respondents	21,959		17,655		3,710	3,934	2,320	2,547	6,766	2,330	12,796	8,811

Source: Manja D. Abraham, Hendrien L. Kaal, & Peter D.A. Cohen (2002), *Licit and Illicit Drug Use in the Netherlands, 2001*. Amsterdam: CEDRO / Mets & Schilt. p. 215.

Table 6.16b Inhalant use in the Netherlands in seven samples: Amsterdam, Rotterdam, and five categories of address density municipalities, 1997 and 2001 (weighted percentages) (continued)

<i>Inhalants</i>	<i>Highest a.d.</i>		<i>High a.d.</i>		<i>Moderate a.d.</i>		<i>Low a.d.</i>		<i>Lowest a.d.</i>	
<i>Age group</i>	<i>1997</i>	<i>2001</i>	<i>1997</i>	<i>2001</i>	<i>1997</i>	<i>2001</i>	<i>1997</i>	<i>2001</i>	<i>1997</i>	<i>2001</i>
<i>Lifetime use</i>										
12-15 yrs	0.6	1.7	0.3	0.9	0.3	1.6	0.2	0.0	0.0	0.9
16-19 yrs	0.9	2.7	0.3	1.2	0.8	2.3	1.2	1.1	1.4	1.1
20-24 yrs	1.5	3.2	0.7	2.9	0.8	1.7	2.6	1.4	0.8	1.7
25-29 yrs	1.4	3.1	0.0	0.0	0.0	0.0	1.7	0.0	0.0	2.9
30-34 yrs	1.6	1.9	0.0	2.3	0.7	0.0	0.0	0.7	1.1	0.0
35-39 yrs	1.5	2.3	0.5	0.5	0.8	0.0	1.0	0.6	0.5	0.8
40-49 yrs	0.9	1.1	0.2	0.2	0.3	0.4	0.0	0.4	0.0	1.1
50-59 yrs	0.4	1.1	0.9	0.8	0.0	1.0	0.0	0.3	0.0	0.0
60-69 yrs	0.1	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.5
70 yrs a.o.	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
<i>Last month use</i>										
12-15 yrs	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
16-19 yrs	0.0	0.4	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0
20-24 yrs	0.2	0.3	0.0	0.0	0.0	0.9	0.9	0.7	0.0	0.8
25-29 yrs	0.1	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3
30-34 yrs	0.2	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
35-39 yrs	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
40-49 yrs	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
50-59 yrs	0.0	0.1	0.0	0.4	0.0	0.4	0.0	0.0	0.0	0.0
60-69 yrs	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
70 yrs a.o.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
<i>Total population</i>										
Lifetime use	0.9	1.6	0.3	0.8	0.3	0.6	0.6	0.4	0.3	0.7
Last month use	0.1	0.3	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.1
Last month continuation	11.0	16.9	-	-	-	-	-	-	-	-
Experienced use	14.5	21.2	-	-	-	-	-	-	-	-
Mean age of first use	19.3	19.8	-	-	-	-	-	-	-	-
Total respondents	12,796	8,811	2,295	2,640	2,276	2,123	2,288	2,149	2,304	1,932

Source: Manja D. Abraham, Hendrien L. Kaal, & Peter D.A. Cohen (2002), *Licit and Illicit Drug Use in the Netherlands, 2001*.
Amsterdam: CEDRO / Mets & Schilt. p. 216.

Table 6.16c Inhalant use in the Netherlands in seven samples: Amsterdam, Rotterdam, and five categories of address density municipalities, 2001
 (index figures: 1997 = 100)

<i>Inhalants</i>									
<i>Age group</i>	<i>The Netherlands</i>		<i>Highest address density</i>			<i>High a.d.</i>	<i>Moderate a.d.</i>	<i>Low a.d.</i>	<i>Lowest a.d.</i>
<i>Lifetime use</i>	<i>Amsterdam</i>	<i>Rotterdam</i>	<i>Other</i>	<i>Total</i>					
12-15 yrs	360	128	*	419	312	*	*	*	*
16-19 yrs	188	304	164	366	296	*	291	99	79
20-24 yrs	186	85	*	407	220	*	*	55	*
25-29 yrs	172	102	*	434	228	*	*	0	*
30-34 yrs	173	107	*	105	112	*	*	*	0
35-39 yrs	92	238	49	116	155	*	*	61	*
40-49 yrs	215	149	63	97	119	*	*	*	*
50-59 yrs	253	471	67	*	298	88	*	*	*
60-69 yrs	53	*	*	*	*	*	*	*	*
70 yrs a.o.	*	*	*	*	*	*	*	*	*
<i>Total population</i>									
Lifetime use	170	141	194	232	178	251	180	69	241
Last month use	386	236	155	445	264	*	*	102	*
Last month continuation	235	167	-	-	153	-	-	-	-
Experienced use	123	122	-	-	146	-	-	-	-
Mean age of first use	97	107	-	-	103	-	-	-	-
Total respondents	17,655	3,934	2,547	2,330	8,811	2,640	2,123	2,149	1,932

Source: Manja D. Abraham, Hendrien L. Kaal, & Peter D.A. Cohen (2002), *Licit and Illicit Drug Use in the Netherlands, 2001*.
 Amsterdam: CEDRO / Mets & Schilt. p. 217.