

Table 6.21a Difficult drug use in the Netherlands in seven samples: Amsterdam, Rotterdam, and five categories of address density municipalities, 1997 and 2001 (weighted percentages)

Difficult drugs												
Age group	The Netherlands						Highest address density					
	1997		2001		Amsterdam		Rotterdam		Other		Total highest a.d.	
Lifetime use	%	Unw. n	%	Unw. n	1997	2001	1997	2001	1997	2001	1997	2001
12-15 yrs	0.6	21	0.6	14	0.3	1.0	1.5	0.5	1.2	1.5	1.0	1.1
16-19 yrs	6.8	224	6.8	123	10.1	7.9	7.7	4.6	11.0	7.3	10.0	6.8
20-24 yrs	8.2	161	16.3	203	17.3	23.3	11.2	14.5	10.2	18.8	12.1	19.0
25-29 yrs	7.6	202	8.3	160	19.0	16.6	5.5	13.4	10.0	13.8	11.6	14.5
30-34 yrs	5.4	196	7.2	216	22.2	25.8	11.9	9.6	9.5	13.5	13.8	16.5
35-39 yrs	5.2	165	6.0	162	21.1	21.6	4.1	14.9	9.6	14.7	11.9	16.8
40-49 yrs	5.1	249	5.3	237	20.1	20.6	7.2	11.5	7.0	8.0	10.6	12.2
50-59 yrs	1.5	71	2.1	89	10.8	13.0	2.8	1.1	2.4	3.7	4.6	5.5
60-69 yrs	0.8	17	0.6	18	2.4	4.5	0.4	0.7	0.9	0.9	1.1	1.7
70 yrs a.o.	0.4	13	0.6	10	1.2	1.3	0.9	0.0	0.9	0.0	1.0	0.3
<i>Last month use</i>												
12-15 yrs	0.2	8	0.2	4	0.0	0.3	0.4	0.0	0.5	0.5	0.3	0.3
16-19 yrs	1.4	50	1.9	38	2.5	2.1	1.8	2.4	2.8	2.5	2.5	2.4
20-24 yrs	1.8	40	3.5	44	4.4	5.0	1.6	1.9	2.6	4.7	2.8	4.2
25-29 yrs	1.3	42	1.4	34	3.6	3.2	1.3	3.9	2.3	3.6	2.5	3.5
30-34 yrs	0.3	19	1.1	30	2.5	3.1	1.1	1.9	0.9	1.6	1.5	2.1
35-39 yrs	0.3	11	0.5	18	1.4	2.7	0.0	1.8	1.1	1.6	1.0	2.0
40-49 yrs	0.3	21	0.5	30	2.9	2.3	0.3	3.0	0.4	1.8	1.1	2.2
50-59 yrs	0.1	4	0.5	11	0.4	1.2	0.0	0.0	0.2	0.4	0.2	0.5
60-69 yrs	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
70 yrs a.o.	0.1	1	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
<i>Total population</i>												
Lifetime use	4.1	1319	4.9	1232	14.3	15.5	5.3	7.3	6.3	8.4	8.2	10.0
Last month use	0.5	196	0.8	209	2.0	2.1	0.5	1.5	1.0	1.7	1.1	1.8
Last month continuation	12.2		16.5		13.7	13.7	10.4	21.1	15.8	19.8	14.1	17.5
Experienced use	-	-	-	-	-	-	-	-	-	-	-	-
Mean age of first use	22.2		21.9		23.4	23.6	21.9	21.9	23.7	21.4	23.3	22.4
Total respondents	21,959		17,655		3,710	3,934	2,320	2,547	6,766	2,330	12,796	8,811

Source: Manja D. Abraham, Hendrien L. Kaal, & Peter D.A. Cohen (2002), *Licit and Illicit Drug Use in the Netherlands, 2001*. Amsterdam: CEDRO / Mets & Schilt, p. 224.

Table 6.21b Difficult drug use in the Netherlands in seven samples: Amsterdam, Rotterdam, and five categories of address density municipalities, 1997 and 2001 (weighted percentages) (continued)

<i>Difficult drugs</i>		<i>Highest a.d.</i>		<i>High a.d.</i>		<i>Moderate a.d.</i>		<i>Low a.d.</i>		<i>Lowest a.d.</i>	
<i>Age group</i>	<i>Lifetime use</i>	<i>1997</i>	<i>2001</i>	<i>1997</i>	<i>2001</i>	<i>1997</i>	<i>2001</i>	<i>1997</i>	<i>2001</i>	<i>1997</i>	<i>2001</i>
12-15 yrs		<i>1.0</i>	<i>1.1</i>	<i>0.3</i>	<i>0.0</i>	<i>0.9</i>	<i>0.0</i>	<i>0.5</i>	<i>0.7</i>	<i>0.6</i>	<i>1.6</i>
16-19 yrs		<i>10.0</i>	<i>6.8</i>	<i>7.1</i>	<i>8.8</i>	<i>5.9</i>	<i>6.4</i>	<i>6.0</i>	<i>5.0</i>	<i>5.9</i>	<i>6.4</i>
20-24 yrs		<i>12.1</i>	<i>19.0</i>	<i>4.8</i>	<i>19.3</i>	<i>11.0</i>	<i>19.2</i>	<i>6.3</i>	<i>12.5</i>	<i>7.0</i>	<i>5.0</i>
25-29 yrs		<i>11.6</i>	<i>14.5</i>	<i>6.4</i>	<i>9.1</i>	<i>8.8</i>	<i>5.6</i>	<i>6.8</i>	<i>3.7</i>	<i>3.1</i>	<i>4.7</i>
30-34 yrs		<i>13.8</i>	<i>16.5</i>	<i>3.7</i>	<i>7.7</i>	<i>3.1</i>	<i>4.6</i>	<i>3.7</i>	<i>1.8</i>	<i>2.3</i>	<i>3.6</i>
35-39 yrs		<i>11.9</i>	<i>16.8</i>	<i>6.4</i>	<i>5.5</i>	<i>1.5</i>	<i>3.2</i>	<i>3.6</i>	<i>2.9</i>	<i>2.9</i>	<i>2.0</i>
40-49 yrs		<i>10.6</i>	<i>12.2</i>	<i>6.8</i>	<i>5.0</i>	<i>3.7</i>	<i>3.4</i>	<i>2.6</i>	<i>3.1</i>	<i>2.8</i>	<i>4.3</i>
50-59 yrs		<i>4.6</i>	<i>5.5</i>	<i>1.7</i>	<i>2.5</i>	<i>0.3</i>	<i>1.6</i>	<i>0.7</i>	<i>0.9</i>	<i>1.0</i>	<i>0.8</i>
60-69 yrs		<i>1.1</i>	<i>1.7</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>1.0</i>	<i>1.9</i>	<i>0.6</i>	<i>0.9</i>	<i>0.0</i>
70 yrs a.o.		<i>1.0</i>	<i>0.3</i>	<i>0.0</i>	<i>1.3</i>	<i>0.5</i>	<i>0.4</i>	<i>0.5</i>	<i>0.5</i>	<i>0.0</i>	<i>0.0</i>
<i>Last month use</i>											
12-15 yrs		<i>0.3</i>	<i>0.3</i>	<i>0.0</i>	<i>0.0</i>	<i>0.6</i>	<i>0.0</i>	<i>0.3</i>	<i>0.3</i>	<i>0.0</i>	<i>0.5</i>
16-19 yrs		<i>2.5</i>	<i>2.4</i>	<i>1.6</i>	<i>1.8</i>	<i>1.0</i>	<i>2.1</i>	<i>1.4</i>	<i>1.5</i>	<i>0.8</i>	<i>2.1</i>
20-24 yrs		<i>2.8</i>	<i>4.2</i>	<i>0.7</i>	<i>3.4</i>	<i>2.5</i>	<i>3.3</i>	<i>0.9</i>	<i>3.7</i>	<i>2.3</i>	<i>2.5</i>
25-29 yrs		<i>2.5</i>	<i>3.5</i>	<i>0.0</i>	<i>0.7</i>	<i>1.8</i>	<i>1.3</i>	<i>1.6</i>	<i>0.0</i>	<i>0.6</i>	<i>1.3</i>
30-34 yrs		<i>1.5</i>	<i>2.1</i>	<i>0.0</i>	<i>1.3</i>	<i>0.0</i>	<i>1.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.8</i>
35-39 yrs		<i>1.0</i>	<i>2.0</i>	<i>0.0</i>	<i>0.4</i>	<i>0.0</i>	<i>0.0</i>	<i>0.5</i>	<i>0.4</i>	<i>0.0</i>	<i>0.0</i>
40-49 yrs		<i>1.1</i>	<i>2.2</i>	<i>0.2</i>	<i>0.5</i>	<i>0.3</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.4</i>
50-59 yrs		<i>0.2</i>	<i>0.5</i>	<i>0.5</i>	<i>1.2</i>	<i>0.0</i>	<i>0.3</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>
60-69 yrs		<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>
70 yrs a.o.		<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.5</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>
<i>Total population</i>											
Lifetime use		<i>8.2</i>	<i>10.0</i>	<i>3.8</i>	<i>5.4</i>	<i>3.2</i>	<i>3.8</i>	<i>2.9</i>	<i>2.6</i>	<i>2.4</i>	<i>2.5</i>
Last month use		<i>1.1</i>	<i>1.8</i>	<i>0.3</i>	<i>0.8</i>	<i>0.5</i>	<i>0.6</i>	<i>0.4</i>	<i>0.4</i>	<i>0.3</i>	<i>0.5</i>
Last month continuation		<i>14.1</i>	<i>17.5</i>	<i>6.4</i>	<i>15.7</i>	<i>15.2</i>	<i>15.2</i>	<i>13.4</i>	<i>14.2</i>	<i>11.0</i>	<i>20.9</i>
Experienced use		-	-	-	-	-	-	-	-	-	-
Mean age of first use		<i>23.3</i>	<i>22.4</i>	<i>21.8</i>	<i>21.7</i>	<i>20.9</i>	<i>21.4</i>	<i>21.3</i>	<i>22.7</i>	<i>22.6</i>	<i>20.7</i>
Total respondents		<i>12,796</i>	<i>8,811</i>	<i>2,295</i>	<i>2,640</i>	<i>2,276</i>	<i>2,123</i>	<i>2,288</i>	<i>2,149</i>	<i>2,304</i>	<i>1,932</i>

Source: Manja D. Abraham, Hendrien L. Kaal, & Peter D.A. Cohen (2002), *Licit and Illicit Drug Use in the Netherlands, 2001*.  
Amsterdam: CEDRO / Mets & Schilt. p. 225.

Table 6.21c Difficult drug use in the Netherlands in seven samples: Amsterdam, Rotterdam, and five categories of address density municipalities, 2001  
 (index figures: 1997 = 100)

<i>Difficult drugs</i>								
<i>Age group</i>		<i>Highest address density</i>			<i>High a.d.</i>	<i>Moderate a.d.</i>	<i>Low a.d.</i>	<i>Lowest a.d.</i>
<i>Lifetime use</i>		<i>The Netherlands</i>	<i>Amsterdam</i>	<i>Rotterdam</i>	<i>Other</i>	<i>Total</i>		
12-15 yrs		87	*	32	125	106	*	0
16-19 yrs		99	78	60	67	68	124	109
20-24 yrs		200	135	129	184	157	400	175
25-29 yrs		108	88	242	138	125	143	64
30-34 yrs		132	116	81	143	119	207	147
35-39 yrs		116	102	360	153	141	87	210
40-49 yrs		103	102	161	114	115	73	93
50-59 yrs		141	121	38	152	119	144	*
60-69 yrs		78	183	*	100	148	*	*
70 yrs a.o.		150	114	0	0	31	*	*
<i>Total population</i>								
Lifetime use		121	108	138	133	123	141	118
Last month use		164	108	279	167	153	323	119
Last month continuation		135	100	202	125	124	245	100
Experienced use		-	-	-	-	-	-	-
Mean age of first use		99	101	100	90	96	100	102
Total respondents		17,655	3,934	2,547	2,330	8,811	2,640	2,123
							2,149	1,932

Source: Manja D. Abraham, Hendrien L. Kaal, & Peter D.A. Cohen (2002), *Licit and Illicit Drug Use in the Netherlands, 2001*.  
 Amsterdam: CEDRO / Mets & Schilt. p. 226.