

Table 6.9a Hallucinogen use in the Netherlands in seven samples: Amsterdam, Rotterdam, and five categories of address density municipalities, 1997 and 2001 (weighted percentages)

<i>Hallucinogens</i> <i>Age group</i>	<i>The Netherlands</i>				<i>Highest address density</i>							
	<i>1997</i>		<i>2001</i>		<i>Amsterdam</i>		<i>Rotterdam</i>		<i>Other</i>		<i>Total highest a.d.</i>	
	<i>%</i>	<i>Unw. n</i>	<i>%</i>	<i>Unw. n</i>	<i>1997</i>	<i>2001</i>	<i>1997</i>	<i>2001</i>	<i>1997</i>	<i>2001</i>	<i>1997</i>	<i>2001</i>
<i>Lifetime use</i>												
12-15 yrs	0.4	16	0.2	4	0.0	0.3	1.1	0.0	0.5	0.4	0.5	0.3
16-19 yrs	3.0	179	0.9	22	4.6	1.0	3.9	2.0	4.9	2.2	4.6	1.9
20-24 yrs	3.1	84	3.7	48	7.8	7.2	4.0	1.6	5.3	4.6	5.7	4.6
25-29 yrs	2.6	95	2.4	45	7.1	3.8	1.3	5.2	4.1	5.2	4.4	4.8
30-34 yrs	2.0	68	1.4	47	8.7	6.5	3.5	1.8	4.3	2.8	5.5	3.7
35-39 yrs	1.8	53	1.3	42	7.3	7.1	1.6	3.6	3.2	3.4	4.1	4.5
40-49 yrs	3.3	68	2.3	86	12.3	7.0	3.0	5.4	3.9	2.2	6.0	4.2
50-59 yrs	0.8	7	0.6	35	4.5	5.5	0.9	0.3	0.8	2.5	1.8	2.8
60-69 yrs	0.1	2	0.1	7	1.5	2.2	0.0	0.0	0.3	0.4	0.5	0.7
70 yrs a.o.	0.0	0	0.1	2	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.1
<i>Last month use</i>												
12-15 yrs	0.1	12	0.0	0	0.0	0.0	0.4	0.0	0.2	0.0	0.2	0.0
16-19 yrs	0.1	101	0.0	2	0.3	0.0	0.0	0.3	0.8	0.4	0.5	0.3
20-24 yrs	0.2	69	0.1	3	0.0	0.3	0.0	0.4	0.6	0.6	0.3	0.5
25-29 yrs	0.0	75	0.0	0	0.0	0.0	0.0	0.0	0.3	0.0	0.1	0.0
30-34 yrs	0.0	77	0.0	0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0
35-39 yrs	0.0	59	0.0	1	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.1
40-49 yrs	0.0	149	0.0	3	0.0	0.2	0.0	0.9	0.0	0.0	0.0	0.2
50-59 yrs	0.1	31	0.0	1	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.1
60-69 yrs	0.0	5	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
70 yrs a.o.	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
<i>Total population</i>												
Lifetime use	1.8	578	1.3	338	6.3	4.8	1.8	2.2	2.8	2.4	3.5	3.0
Last month use	0.0	23	0.0	10	0.0	0.1	0.0	0.2	0.2	0.1	0.1	0.1
Last month continuation			1.5		0.2	1.7	-	-	5.6	-	2.6	3.6
Experienced use	12.6		.		13.5	.	-	.	7.5	.	10.7	.
Mean age of first use	21.0		21.5		22.7	22.3	-	-	22.6	-	22.4	21.4
Total respondents	21,959		17,655		3,710	3,934	2,320	2,547	6,766	2,330	12,796	8,811

Source: Manja D. Abraham, Hendrien L. Kaal, & Peter D.A. Cohen (2002), *Licit and Illicit Drug Use in the Netherlands, 2001*. Amsterdam: CEDRO / Mets & Schilt. p. 194.

Table 6.9b Hallucinogen use in the seven samples: Amsterdam, Rotterdam, and five categories of address density municipalities, 1997 and 2001 (weighted percentages) (continued)

<i>Hallucinogens</i>											
	<i>Highest a.d.</i>		<i>High a.d.</i>		<i>Moderate a.d.</i>		<i>Low a.d.</i>		<i>Lowest a.d.</i>		
	<i>Age group</i>	<i>Lifetime use</i>	1997	2001	1997	2001	1997	2001	1997	2001	
12-15 yrs		0.5	0.3	0.0	0.0	0.9	0.0	0.3	0.3	0.0	0.3
16-19 yrs		4.6	1.9	3.6	0.7	2.2	0.5	2.5	0.4	0.6	1.7
20-24 yrs		5.7	4.6	0.7	4.1	3.4	4.3	3.6	2.9	2.5	1.7
25-29 yrs		4.4	4.8	0.7	2.8	2.7	1.5	4.1	0.9	2.3	0.0
30-34 yrs		5.5	3.7	0.5	0.9	1.3	0.8	1.7	0.5	1.2	1.3
35-39 yrs		4.1	4.5	3.0	1.5	0.5	0.6	1.0	0.0	1.3	0.0
40-49 yrs		6.0	4.2	4.9	1.6	2.1	2.2	1.4	1.7	0.5	2.2
50-59 yrs		1.8	2.8	1.3	0.4	0.0	0.3	0.7	0.0	2.6	0.0
60-69 yrs		0.5	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0
70 yrs a.o.		0.0	0.1	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0
<i>Last month use</i>											
12-15 yrs		0.2	0.0	0.0	0.0	0.3	0.0	0.3	0.0	0.0	0.0
16-19 yrs		0.5	0.3	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0
20-24 yrs		0.3	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
25-29 yrs		0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
30-34 yrs		0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
35-39 yrs		0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
40-49 yrs		0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
50-59 yrs		0.0	0.1	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
60-69 yrs		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
70 yrs a.o.		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
<i>Total population</i>											
Lifetime use		3.5	3.0	1.7	1.2	1.2	1.0	1.4	0.6	1.1	0.7
Last month use		0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Last month continuation		2.6	3.6	-	-	-	-	-	-	-	-
Experienced use		10.7	.	-	-	-	-	-	-	-	-
Mean age of first use		22.4	21.4	-	-	-	-	-	-	-	-
Total respondents		12,796	8,811	2,295	2,640	2,276	2,123	2,288	2,149	2,304	1,932

Source: Manja D. Abraham, Hendrien L. Kaal, & Peter D.A. Cohen (2002), *Licit and Illicit Drug Use in the Netherlands, 2001*. Amsterdam: CEDRO / Mets & Schilt, p. 195.

Table 6.9c Hallucinogen use in the Netherlands in seven samples: Amsterdam, Rotterdam, and five categories of address density municipalities, 2001  
(index figures: 1997 = 100)

<i>Hallucinogens</i>									
<i>Age group</i>									
<i>Lifetime use</i>	<i>The Netherlands</i>	<i>Highest address density</i>			<i>Total</i>	<i>High a.d.</i>	<i>Moderate a.d.</i>	<i>Low a.d.</i>	<i>Lowest a.d.</i>
	<i>Amsterdam</i>	<i>Rotterdam</i>	<i>Other</i>	<i>High a.d.</i>		<i>Moderate a.d.</i>	<i>Low a.d.</i>	<i>Lowest a.d.</i>	
12-15 yrs	36	*	0	77	53	*	0	*	*
16-19 yrs	31	21	52	46	42	19	23	15	308
20-24 yrs	122	92	40	86	81	*	125	81	67
25-29 yrs	90	54	408	127	109	*	58	21	0
30-34 yrs	70	74	51	64	67	*	58	31	105
35-39 yrs	72	97	233	105	111	49	*	0	*
40-49 yrs	68	57	182	56	70	34	101	120	436
50-59 yrs	74	124	30	311	159	30	*	0	*
60-69 yrs	134	145	*	*	143	*	*	*	*
70 yrs a.o.	*	*	*	*	*	*	*	*	*
<i>Total population</i>									
Lifetime use	74	75	121	88	86	74	80	45	65
Last month use	39	556	1,280	48	126	0	0	0	0
Last month continuation	53	740	-	-	142	-	-	-	-
Experienced use	-	-	-	-	-	-	-	-	-
Mean age of first use	102	98	-	-	95	-	-	-	-
Total respondents	17,655	3,934	2,547	2,330	8,811	2,640	2,123	2,149	1,932

Source: Manja D. Abraham, Hendrien L. Kaal, & Peter D.A. Cohen (2002), *Licit and Illicit Drug Use in the Netherlands, 2001*. Amsterdam: CEDRO / Mets & Schilt. p. 196.